

**Report To:** Pete Obrien

**Company:** Boulder Water Well Service  
1901 S 120th Street  
Suite A  
Lafayette CO 80026

**Bill To:** Accounts Payable

**Company:** Boulder Water Well Service  
1901 S 120th Street  
Suite A  
Lafayette CO 80026

**Task No.:** 220302203  
**Client PO:**  
**Client Project:** East Boulder County WD CO0107236

**Date Received:** 3/2/22  
**Date Reported:** 3/7/22  
**Matrix:** Water - Drinking

**Customer Sample ID** 7366 Empire Pre Flush  
**Sample Date/Time:** 3/2/22 11:30 AM  
**Lab Number:** 220302203-01

Test	Result	Method	RL	MCL	Date Analyzed	QC Batch ID	Analyzed By
1,1,1,2-Tetrachloroethane	ND	EPA-524.2	0.5 ug/L		3/4/22	QC55325	LEH
1,1,1-Trichloroethane	ND	EPA-524.2	0.5 ug/L	200	3/4/22	QC55325	LEH
1,1,2,2-Tetrachloroethane	ND	EPA-524.2	0.5 ug/L		3/4/22	QC55325	LEH
1,1,2-Trichloroethane	ND	EPA-524.2	0.5 ug/L	5	3/4/22	QC55325	LEH
1,1-Dichloroethane	ND	EPA-524.2	0.5 ug/L		3/4/22	QC55325	LEH
1,1-Dichloroethylene	ND	EPA-524.2	0.5 ug/L	7	3/4/22	QC55325	LEH
1,1-Dichloropropene	ND	EPA-524.2	0.5 ug/L		3/4/22	QC55325	LEH
1,2,3-Trichlorobenzene	ND	EPA-524.2	0.5 ug/L		3/4/22	QC55325	LEH
1,2,3-Trichloropropane	ND	EPA-524.2	0.5 ug/L		3/4/22	QC55325	LEH
1,2,4-Trichlorobenzene	ND	EPA-524.2	0.5 ug/L	70	3/4/22	QC55325	LEH
1,2,4-Trimethylbenzene	ND	EPA-524.2	0.5 ug/L		3/4/22	QC55325	LEH
1,2-Dichloroethane	ND	EPA-524.2	0.5 ug/L	5	3/4/22	QC55325	LEH
1,2-Dichloropropane	ND	EPA-524.2	0.5 ug/L	5	3/4/22	QC55325	LEH
1,3,5-Trimethylbenzene	ND	EPA-524.2	0.5 ug/L		3/4/22	QC55325	LEH
1,3-Dichloropropane	ND	EPA-524.2	0.5 ug/L		3/4/22	QC55325	LEH
1,3-Dichloropropene	ND	EPA-524.2	0.5 ug/L		3/4/22	QC55325	LEH
Benzene	ND	EPA-524.2	0.5 ug/L	5	3/4/22	QC55325	LEH
Bromobenzene	ND	EPA-524.2	0.5 ug/L		3/4/22	QC55325	LEH
Bromochloromethane	ND	EPA-524.2	0.5 ug/L		3/4/22	QC55325	LEH
Bromodichloromethane	19.9 ug/L	EPA-524.2	0.5 ug/L		3/4/22	QC55325	LEH
Bromoform	ND	EPA-524.2	0.5 ug/L		3/4/22	QC55325	LEH
Bromomethane	ND	EPA-524.2	0.5 ug/L		3/4/22	QC55325	LEH
Carbon Tetrachloride	ND	EPA-524.2	0.5 ug/L	5	3/4/22	QC55325	LEH

**Abbreviations/ References:**

RL = Reporting Limit = Minimum Level  
mg/L = Milligrams Per Liter or PPM  
ug/L = Micrograms Per Liter or PPB  
mpn/100 mls = Most Probable Number Index/ 100 mls  
Date Analyzed = Date Test Completed

(d) RPD acceptable due to low duplicate and sample concentrations.  
(s) Spike amount low relative to the sample amount.  
ND = Not Detected at Reporting Limit.

**Report To:** Pete Obrien  
**Company:** Boulder Water Well Service  
1901 S 120th Street  
Suite A  
Lafayette CO 80026

**Bill To:** Accounts Payable  
**Company:** Boulder Water Well Service  
1901 S 120th Street  
Suite A  
Lafayette CO 80026

**Task No.:** 220302203  
**Client PO:**  
**Client Project:** East Boulder County WD CO0107236

**Date Received:** 3/2/22  
**Date Reported:** 3/7/22  
**Matrix:** Water - Drinking

**Customer Sample ID** 7366 Empire Pre Flush  
**Sample Date/Time:** 3/2/22 11:30 AM  
**Lab Number:** 220302203-01

Test	Result	Method	RL	MCL	Date Analyzed	QC Batch ID	Analyzed By
Chlorodibromomethane	6.5 ug/L	EPA-524.2	0.5 ug/L		3/4/22	QC55325	LEH
Chloroethane	ND	EPA-524.2	0.5 ug/L		3/4/22	QC55325	LEH
Chloroform	55.4 ug/L	EPA-524.2	0.5 ug/L		3/4/22	QC55325	LEH
Chloromethane	ND	EPA-524.2	0.5 ug/L		3/4/22	QC55325	LEH
cis-1,2-Dichloroethylene	ND	EPA-524.2	0.5 ug/L	70	3/4/22	QC55325	LEH
Dibromomethane	ND	EPA-524.2	0.5 ug/L		3/4/22	QC55325	LEH
Dichlorodifluoromethane	ND	EPA-524.2	0.5 ug/L		3/4/22	QC55325	LEH
Dichloromethane	ND	EPA-524.2	0.5 ug/L	5	3/4/22	QC55325	LEH
Ethylbenzene	ND	EPA-524.2	0.5 ug/L	700	3/4/22	QC55325	LEH
Fluorotrichloromethane	ND	EPA-524.2	0.5 ug/L		3/4/22	QC55325	LEH
Hexachlorobutadiene	ND	EPA-524.2	0.5 ug/L		3/4/22	QC55325	LEH
Isopropylbenzene	ND	EPA-524.2	0.5 ug/L		3/4/22	QC55325	LEH
m-Dichlorobenzene	ND	EPA-524.2	0.5 ug/L		3/4/22	QC55325	LEH
Monochlorobenzene	ND	EPA-524.2	0.5 ug/L	100	3/4/22	QC55325	LEH
Naphthalene	ND	EPA-524.2	0.5 ug/L		3/4/22	QC55325	LEH
n-Butylbenzene	ND	EPA-524.2	0.5 ug/L		3/4/22	QC55325	LEH
n-Propylbenzene	ND	EPA-524.2	0.5 ug/L		3/4/22	QC55325	LEH
o-Chlorotoluene	ND	EPA-524.2	0.5 ug/L		3/4/22	QC55325	LEH
o-Dichlorobenzene	ND	EPA-524.2	0.5 ug/L	600	3/4/22	QC55325	LEH
Para-Dichlorobenzene	ND	EPA-524.2	0.5 ug/L	75	3/4/22	QC55325	LEH
p-Chlorotoluene	ND	EPA-524.2	0.5 ug/L		3/4/22	QC55325	LEH
p-Isopropyltoluene	ND	EPA-524.2	0.5 ug/L		3/4/22	QC55325	LEH
sec-Butylbenzene	ND	EPA-524.2	0.5 ug/L		3/4/22	QC55325	LEH

**Abbreviations/ References:**

RL = Reporting Limit = Minimum Level  
mg/L = Milligrams Per Liter or PPM  
ug/L = Micrograms Per Liter or PPB  
mpn/100 mls = Most Probable Number Index/ 100 mls  
Date Analyzed = Date Test Completed

(d) RPD acceptable due to low duplicate and sample concentrations.  
(s) Spike amount low relative to the sample amount.  
ND = Not Detected at Reporting Limit.

**Report To:** Pete Obrien

**Company:** Boulder Water Well Service  
1901 S 120th Street  
Suite A  
Lafayette CO 80026

**Bill To:** Accounts Payable

**Company:** Boulder Water Well Service  
1901 S 120th Street  
Suite A  
Lafayette CO 80026

<b>Task No.:</b> 220302203	<b>Date Received:</b> 3/2/22
<b>Client PO:</b>	<b>Date Reported:</b> 3/7/22
<b>Client Project:</b> East Boulder County WD CO0107236	<b>Matrix:</b> Water - Drinking

**Customer Sample ID** 7366 Empire Pre Flush  
**Sample Date/Time:** 3/2/22 11:30 AM  
**Lab Number:** 220302203-01

Test	Result	Method	RL	MCL	Date Analyzed	QC Batch ID	Analyzed By
Styrene	ND	EPA-524.2	0.5 ug/L	100	3/4/22	QC55325	LEH
tert-Butylbenzene	ND	EPA-524.2	0.5 ug/L		3/4/22	QC55325	LEH
Tetrachloroethylene	ND	EPA-524.2	0.5 ug/L	5	3/4/22	QC55325	LEH
Toluene	1.2 ug/L	EPA-524.2	0.5 ug/L	1000	3/4/22	QC55325	LEH
Total Trihalomethanes	81.8 ug/L	EPA-524.2	0.5 ug/L	80	3/4/22	QC55325	LEH
trans-1,2-Dichloroethylene	ND	EPA-524.2	0.5 ug/L	100	3/4/22	QC55325	LEH
Trichloroethylene	ND	EPA-524.2	0.5 ug/L	5	3/4/22	QC55325	LEH
Vinyl chloride	ND	EPA-524.2	0.5 ug/L	2	3/4/22	QC55325	LEH
Xylenes (total)	0.7 ug/L	EPA-524.2	0.5 ug/L	10000	3/4/22	QC55325	LEH

**Abbreviations/ References:**

RL = Reporting Limit = Minimum Level  
mg/L = Milligrams Per Liter or PPM  
ug/L = Micrograms Per Liter or PPB  
mpn/100 mls = Most Probable Number Index/ 100 mls  
Date Analyzed = Date Test Completed

(d) RPD acceptable due to low duplicate and sample concentrations.  
(s) Spike amount low relative to the sample amount.  
ND = Not Detected at Reporting Limit.

**Report To:** Pete Obrien

**Company:** Boulder Water Well Service  
1901 S 120th Street  
Suite A  
Lafayette CO 80026

**Bill To:** Accounts Payable

**Company:** Boulder Water Well Service  
1901 S 120th Street  
Suite A  
Lafayette CO 80026

**Task No.:** 220302203

**Client PO:**

**Client Project:** East Boulder County WD CO0107236

**Date Received:** 3/2/22

**Date Reported:** 3/7/22

**Matrix:** Water - Drinking

**Customer Sample ID** 7366 Empire Post Flush

**Sample Date/Time:** 3/2/22 1:10 PM

**Lab Number:** 220302203-02

Test	Result	Method	RL	MCL	Date Analyzed	QC Batch ID	Analyzed By
1,1,1,2-Tetrachloroethane	ND	EPA-524.2	0.5 ug/L		3/4/22	QC55325	LEH
1,1,1-Trichloroethane	ND	EPA-524.2	0.5 ug/L	200	3/4/22	QC55325	LEH
1,1,2,2-Tetrachloroethane	ND	EPA-524.2	0.5 ug/L		3/4/22	QC55325	LEH
1,1,2-Trichloroethane	ND	EPA-524.2	0.5 ug/L	5	3/4/22	QC55325	LEH
1,1-Dichloroethane	ND	EPA-524.2	0.5 ug/L		3/4/22	QC55325	LEH
1,1-Dichloroethylene	ND	EPA-524.2	0.5 ug/L	7	3/4/22	QC55325	LEH
1,1-Dichloropropene	ND	EPA-524.2	0.5 ug/L		3/4/22	QC55325	LEH
1,2,3-Trichlorobenzene	ND	EPA-524.2	0.5 ug/L		3/4/22	QC55325	LEH
1,2,3-Trichloropropane	ND	EPA-524.2	0.5 ug/L		3/4/22	QC55325	LEH
1,2,4-Trichlorobenzene	ND	EPA-524.2	0.5 ug/L	70	3/4/22	QC55325	LEH
1,2,4-Trimethylbenzene	ND	EPA-524.2	0.5 ug/L		3/4/22	QC55325	LEH
1,2-Dichloroethane	ND	EPA-524.2	0.5 ug/L	5	3/4/22	QC55325	LEH
1,2-Dichloropropane	ND	EPA-524.2	0.5 ug/L	5	3/4/22	QC55325	LEH
1,3,5-Trimethylbenzene	ND	EPA-524.2	0.5 ug/L		3/4/22	QC55325	LEH
1,3-Dichloropropane	ND	EPA-524.2	0.5 ug/L		3/4/22	QC55325	LEH
1,3-Dichloropropene	ND	EPA-524.2	0.5 ug/L		3/4/22	QC55325	LEH
Benzene	ND	EPA-524.2	0.5 ug/L	5	3/4/22	QC55325	LEH
Bromobenzene	ND	EPA-524.2	0.5 ug/L		3/4/22	QC55325	LEH
Bromochloromethane	ND	EPA-524.2	0.5 ug/L		3/4/22	QC55325	LEH
Bromodichloromethane	25.0 ug/L	EPA-524.2	0.5 ug/L		3/4/22	QC55325	LEH
Bromoform	ND	EPA-524.2	0.5 ug/L		3/4/22	QC55325	LEH
Bromomethane	ND	EPA-524.2	0.5 ug/L		3/4/22	QC55325	LEH
Carbon Tetrachloride	ND	EPA-524.2	0.5 ug/L	5	3/4/22	QC55325	LEH

**Abbreviations/ References:**

RL = Reporting Limit = Minimum Level

mg/L = Milligrams Per Liter or PPM

ug/L = Micrograms Per Liter or PPB

mpn/100 mls = Most Probable Number Index/ 100 mls

Date Analyzed = Date Test Completed

(d) RPD acceptable due to low duplicate and sample concentrations.

(s) Spike amount low relative to the sample amount.

ND = Not Detected at Reporting Limit.

**Report To:** Pete Obrien

**Company:** Boulder Water Well Service  
1901 S 120th Street  
Suite A  
Lafayette CO 80026

**Bill To:** Accounts Payable

**Company:** Boulder Water Well Service  
1901 S 120th Street  
Suite A  
Lafayette CO 80026

**Task No.:** 220302203

**Client PO:**

**Client Project:** East Boulder County WD CO0107236

**Date Received:** 3/2/22

**Date Reported:** 3/7/22

**Matrix:** Water - Drinking

**Customer Sample ID** 7366 Empire Post Flush

**Sample Date/Time:** 3/2/22 1:10 PM

**Lab Number:** 220302203-02

Test	Result	Method	RL	MCL	Date Analyzed	QC Batch ID	Analyzed By
Chlorodibromomethane	8.5 ug/L	EPA-524.2	0.5 ug/L		3/4/22	QC55325	LEH
Chloroethane	ND	EPA-524.2	0.5 ug/L		3/4/22	QC55325	LEH
Chloroform	56.2 ug/L	EPA-524.2	0.5 ug/L		3/4/22	QC55325	LEH
Chloromethane	ND	EPA-524.2	0.5 ug/L		3/4/22	QC55325	LEH
cis-1,2-Dichloroethylene	ND	EPA-524.2	0.5 ug/L	70	3/4/22	QC55325	LEH
Dibromomethane	ND	EPA-524.2	0.5 ug/L		3/4/22	QC55325	LEH
Dichlorodifluoromethane	ND	EPA-524.2	0.5 ug/L		3/4/22	QC55325	LEH
Dichloromethane	ND	EPA-524.2	0.5 ug/L	5	3/4/22	QC55325	LEH
Ethylbenzene	ND	EPA-524.2	0.5 ug/L	700	3/4/22	QC55325	LEH
Fluorotrichloromethane	ND	EPA-524.2	0.5 ug/L		3/4/22	QC55325	LEH
Hexachlorobutadiene	ND	EPA-524.2	0.5 ug/L		3/4/22	QC55325	LEH
Isopropylbenzene	ND	EPA-524.2	0.5 ug/L		3/4/22	QC55325	LEH
m-Dichlorobenzene	ND	EPA-524.2	0.5 ug/L		3/4/22	QC55325	LEH
Monochlorobenzene	ND	EPA-524.2	0.5 ug/L	100	3/4/22	QC55325	LEH
Naphthalene	ND	EPA-524.2	0.5 ug/L		3/4/22	QC55325	LEH
n-Butylbenzene	ND	EPA-524.2	0.5 ug/L		3/4/22	QC55325	LEH
n-Propylbenzene	ND	EPA-524.2	0.5 ug/L		3/4/22	QC55325	LEH
o-Chlorotoluene	ND	EPA-524.2	0.5 ug/L		3/4/22	QC55325	LEH
o-Dichlorobenzene	ND	EPA-524.2	0.5 ug/L	600	3/4/22	QC55325	LEH
Para-Dichlorobenzene	ND	EPA-524.2	0.5 ug/L	75	3/4/22	QC55325	LEH
p-Chlorotoluene	ND	EPA-524.2	0.5 ug/L		3/4/22	QC55325	LEH
p-Isopropyltoluene	ND	EPA-524.2	0.5 ug/L		3/4/22	QC55325	LEH
sec-Butylbenzene	ND	EPA-524.2	0.5 ug/L		3/4/22	QC55325	LEH

**Abbreviations/ References:**

RL = Reporting Limit = Minimum Level

mg/L = Milligrams Per Liter or PPM

ug/L = Micrograms Per Liter or PPB

mpn/100 mls = Most Probable Number Index/ 100 mls

Date Analyzed = Date Test Completed

(d) RPD acceptable due to low duplicate and sample concentrations.

(s) Spike amount low relative to the sample amount.

ND = Not Detected at Reporting Limit.

**Report To:** Pete Obrien

**Company:** Boulder Water Well Service  
1901 S 120th Street  
Suite A  
Lafayette CO 80026

**Bill To:** Accounts Payable

**Company:** Boulder Water Well Service  
1901 S 120th Street  
Suite A  
Lafayette CO 80026

**Task No.:** 220302203  
**Client PO:**  
**Client Project:** East Boulder County WD CO0107236

**Date Received:** 3/2/22  
**Date Reported:** 3/7/22  
**Matrix:** Water - Drinking

**Customer Sample ID** 7366 Empire Post Flush

**Sample Date/Time:** 3/2/22 1:10 PM

**Lab Number:** 220302203-02

Test	Result	Method	RL	MCL	Date Analyzed	QC Batch ID	Analyzed By
Styrene	ND	EPA-524.2	0.5 ug/L	100	3/4/22	QC55325	LEH
tert-Butylbenzene	ND	EPA-524.2	0.5 ug/L		3/4/22	QC55325	LEH
Tetrachloroethylene	ND	EPA-524.2	0.5 ug/L	5	3/4/22	QC55325	LEH
Toluene	ND	EPA-524.2	0.5 ug/L	1000	3/4/22	QC55325	LEH
Total Trihalomethanes	89.8 ug/L	EPA-524.2	0.5 ug/L	80	3/4/22	QC55325	LEH
trans-1,2-Dichloroethylene	ND	EPA-524.2	0.5 ug/L	100	3/4/22	QC55325	LEH
Trichloroethylene	ND	EPA-524.2	0.5 ug/L	5	3/4/22	QC55325	LEH
Vinyl chloride	ND	EPA-524.2	0.5 ug/L	2	3/4/22	QC55325	LEH
Xylenes (total)	ND	EPA-524.2	0.5 ug/L	10000	3/4/22	QC55325	LEH

**Abbreviations/ References:**

RL = Reporting Limit = Minimum Level

mg/L = Milligrams Per Liter or PPM

ug/L = Micrograms Per Liter or PPB

mpn/100 mls = Most Probable Number Index/ 100 mls

Date Analyzed = Date Test Completed

(d) RPD acceptable due to low duplicate and sample concentrations.

(s) Spike amount low relative to the sample amount.

ND = Not Detected at Reporting Limit.

**Report To:** Pete Obrien  
**Company:** Boulder Water Well Service

**Receive Date:** 3/2/22  
**Project Name:** East Boulder County WD CO0107236

Test	QC Batch ID	QC Type	Result	Method
1,1,1,2-Tetrachloroethane	QC55325	Method Blank	ND	EPA-524.2
1,1,1-Trichloroethane	QC55325	Method Blank	ND	EPA-524.2
1,1,2,2-Tetrachloroethane	QC55325	Method Blank	ND	EPA-524.2
1,1,2-Trichloroethane	QC55325	Method Blank	ND	EPA-524.2
1,1-Dichloroethane	QC55325	Method Blank	ND	EPA-524.2
1,1-Dichloroethylene	QC55325	Method Blank	ND	EPA-524.2
1,1-Dichloropropene	QC55325	Method Blank	ND	EPA-524.2
1,2,3-Trichlorobenzene	QC55325	Method Blank	ND	EPA-524.2
1,2,3-Trichloropropane	QC55325	Method Blank	ND	EPA-524.2
1,2,4-Trichlorobenzene	QC55325	Method Blank	ND	EPA-524.2
1,2,4-Trimethylbenzene	QC55325	Method Blank	ND	EPA-524.2
1,2-Dichloroethane	QC55325	Method Blank	ND	EPA-524.2
1,2-Dichloropropane	QC55325	Method Blank	ND	EPA-524.2
1,3,5-Trimethylbenzene	QC55325	Method Blank	ND	EPA-524.2
1,3-Dichloropropane	QC55325	Method Blank	ND	EPA-524.2
1,3-Dichloropropene	QC55325	Method Blank	ND	EPA-524.2
Benzene	QC55325	Method Blank	ND	EPA-524.2
Bromobenzene	QC55325	Method Blank	ND	EPA-524.2
Bromochloromethane	QC55325	Method Blank	ND	EPA-524.2
Bromodichloromethane	QC55325	Method Blank	ND	EPA-524.2
Bromoform	QC55325	Method Blank	ND	EPA-524.2
Bromomethane	QC55325	Method Blank	ND	EPA-524.2
Carbon Tetrachloride	QC55325	Method Blank	ND	EPA-524.2
Chlorodibromomethane	QC55325	Method Blank	ND	EPA-524.2
Chloroethane	QC55325	Method Blank	ND	EPA-524.2
Chloroform	QC55325	Method Blank	ND	EPA-524.2
Chloromethane	QC55325	Method Blank	ND	EPA-524.2
cis-1,2-Dichloroethylene	QC55325	Method Blank	ND	EPA-524.2
Dibromomethane	QC55325	Method Blank	ND	EPA-524.2
Dichlorodifluoromethane	QC55325	Method Blank	ND	EPA-524.2
Dichloromethane	QC55325	Method Blank	ND	EPA-524.2
Ethylbenzene	QC55325	Method Blank	ND	EPA-524.2
Fluorotrichloromethane	QC55325	Method Blank	ND	EPA-524.2
Hexachlorobutadiene	QC55325	Method Blank	ND	EPA-524.2
Isopropylbenzene	QC55325	Method Blank	ND	EPA-524.2
m-Dichlorobenzene	QC55325	Method Blank	ND	EPA-524.2
Monochlorobenzene	QC55325	Method Blank	ND	EPA-524.2
Naphthalene	QC55325	Method Blank	ND	EPA-524.2
n-Butylbenzene	QC55325	Method Blank	ND	EPA-524.2
n-Propylbenzene	QC55325	Method Blank	ND	EPA-524.2
o-Chlorotoluene	QC55325	Method Blank	ND	EPA-524.2

**Abbreviations/ References:**

RL = Reporting Limit = Minimum Level  
 mg/L = Milligrams Per Liter or PPM  
 ug/L = Micrograms Per Liter or PPB  
 mpn/100 mls = Most Probable Number Index/ 100 mls  
 Date Analyzed = Date Test Completed

(d) RPD acceptable due to low duplicate and sample concentrations.  
 (s) Spike amount low relative to the sample amount.  
 ND = Not Detected at Reporting Limit.

o-Dichlorobenzene	QC55325	Method Blank	ND	EPA-524.2
Para-Dichlorobenzene	QC55325	Method Blank	ND	EPA-524.2
p-Chlorotoluene	QC55325	Method Blank	ND	EPA-524.2
p-Isopropyltoluene	QC55325	Method Blank	ND	EPA-524.2
sec-Butylbenzene	QC55325	Method Blank	ND	EPA-524.2
Styrene	QC55325	Method Blank	ND	EPA-524.2
tert-Butylbenzene	QC55325	Method Blank	ND	EPA-524.2
Tetrachloroethylene	QC55325	Method Blank	ND	EPA-524.2
Toluene	QC55325	Method Blank	ND	EPA-524.2
Total Trihalomethanes	QC55325	Method Blank	ND	EPA-524.2
trans-1,2-Dichloroethylene	QC55325	Method Blank	ND	EPA-524.2
Trichloroethylene	QC55325	Method Blank	ND	EPA-524.2
Vinyl chloride	QC55325	Method Blank	ND	EPA-524.2
Xylenes (total)	QC55325	Method Blank	ND	EPA-524.2

Test	QC Batch ID	QC Type	Limits	% Rec	RPD	Method
1,1,1,2-Tetrachloroethane	QC55325	LCS	70 - 130	97.2	-	EPA-524.2
		LCS Dup	70 - 130	96.4	-	
1,1,1-Trichloroethane	QC55325	LCS	70 - 130	96.2	-	EPA-524.2
		LCS Dup	70 - 130	102.2	-	
1,1,2,2-Tetrachloroethane	QC55325	LCS	70 - 130	92.6	-	EPA-524.2
		LCS Dup	70 - 130	93.2	-	
1,1,2-Trichloroethane	QC55325	LCS	70 - 130	102.4	-	EPA-524.2
		LCS Dup	70 - 130	102.4	-	
1,1-Dichloroethane	QC55325	LCS	70 - 130	96.4	-	EPA-524.2
		LCS Dup	70 - 130	99.0	-	
1,1-Dichloroethylene	QC55325	LCS	70 - 130	97.8	-	EPA-524.2
		LCS Dup	70 - 130	101.8	-	
1,1-Dichloropropene	QC55325	LCS	70 - 130	104.2	-	EPA-524.2
		LCS Dup	70 - 130	108.2	-	
1,2,3-Trichlorobenzene	QC55325	LCS	70 - 130	88.6	-	EPA-524.2
		LCS Dup	70 - 130	96.0	-	
1,2,3-Trichloropropane	QC55325	LCS	70 - 130	96.2	-	EPA-524.2
		LCS Dup	70 - 130	95.8	-	
1,2,4-Trichlorobenzene	QC55325	LCS	70 - 130	89.0	-	EPA-524.2
		LCS Dup	70 - 130	96.2	-	
1,2,4-Trimethylbenzene	QC55325	LCS	70 - 130	92.4	-	EPA-524.2
		LCS Dup	70 - 130	97.8	-	
1,2-Dichloroethane	QC55325	LCS	70 - 130	98.2	-	EPA-524.2
		LCS Dup	70 - 130	98.8	-	
1,2-Dichloropropane	QC55325	LCS	70 - 130	101.2	-	EPA-524.2
		LCS Dup	70 - 130	106.2	-	
1,3,5-Trimethylbenzene	QC55325	LCS	70 - 130	93.4	-	EPA-524.2
		LCS Dup	70 - 130	97.4	-	
1,3-Dichloropropane	QC55325	LCS	70 - 130	103.4	-	EPA-524.2
		LCS Dup	70 - 130	99.0	-	
Benzene	QC55325	LCS	70 - 130	98.0	-	EPA-524.2
		LCS Dup	70 - 130	98.4	-	
Bromobenzene	QC55325	LCS	70 - 130	101.2	-	EPA-524.2
		LCS Dup	70 - 130	108.2	-	
Bromochloromethane	QC55325	LCS	70 - 130	98.4	-	EPA-524.2
		LCS Dup	70 - 130	97.0	-	

**Abbreviations/ References:**

RL = Reporting Limit = Minimum Level  
mg/L = Milligrams Per Liter or PPM  
ug/L = Micrograms Per Liter or PPB  
mpn/100 mls = Most Probable Number Index/ 100 mls  
Date Analyzed = Date Test Completed

(d) RPD acceptable due to low duplicate and sample concentrations.  
(s) Spike amount low relative to the sample amount.  
ND = Not Detected at Reporting Limit.



Test	QC Batch ID	QC Type	Limits	% Rec	RPD	Method
Bromodichloromethane	QC55325	LCS	70 - 130	96.0	-	EPA-524.2
		LCS Dup	70 - 130	98.4	-	
Bromoform	QC55325	LCS	70 - 130	92.2	-	EPA-524.2
		LCS Dup	70 - 130	92.6	-	
Bromomethane	QC55325	LCS	70 - 130	97.4	-	EPA-524.2
		LCS Dup	70 - 130	110.4	-	
Carbon Tetrachloride	QC55325	LCS	70 - 130	94.0	-	EPA-524.2
		LCS Dup	70 - 130	96.4	-	
Chlorodibromomethane	QC55325	LCS	70 - 130	104.2	-	EPA-524.2
		LCS Dup	70 - 130	100.8	-	
Chloroethane	QC55325	LCS	70 - 130	86.6	-	EPA-524.2
		LCS Dup	70 - 130	91.6	-	
Chloroform	QC55325	LCS	70 - 130	91.4	-	EPA-524.2
		LCS Dup	70 - 130	94.4	-	
Chloromethane	QC55325	LCS	70 - 130	107.4	-	EPA-524.2
		LCS Dup	70 - 130	110.4	-	
cis-1,2-Dichloroethylene	QC55325	LCS	70 - 130	97.0	-	EPA-524.2
		LCS Dup	70 - 130	103.0	-	
Dibromomethane	QC55325	LCS	70 - 130	97.4	-	EPA-524.2
		LCS Dup	70 - 130	104.0	-	
Dichlorodifluoromethane	QC55325	LCS	70 - 130	105.0	-	EPA-524.2
		LCS Dup	70 - 130	115.6	-	
Dichloromethane	QC55325	LCS	70 - 130	87.2	-	EPA-524.2
		LCS Dup	70 - 130	96.2	-	
Ethylbenzene	QC55325	LCS	70 - 130	98.8	-	EPA-524.2
		LCS Dup	70 - 130	101.2	-	
Fluorotrichloromethane	QC55325	LCS	70 - 130	99.4	-	EPA-524.2
		LCS Dup	70 - 130	108.2	-	
Hexachlorobutadiene	QC55325	LCS	70 - 130	94.4	-	EPA-524.2
		LCS Dup	70 - 130	99.8	-	
Isopropylbenzene	QC55325	LCS	70 - 130	95.2	-	EPA-524.2
		LCS Dup	70 - 130	100.8	-	
m-Dichlorobenzene	QC55325	LCS	70 - 130	92.4	-	EPA-524.2
		LCS Dup	70 - 130	96.2	-	
Monochlorobenzene	QC55325	LCS	70 - 130	97.8	-	EPA-524.2
		LCS Dup	70 - 130	99.6	-	
Naphthalene	QC55325	LCS	70 - 130	96.0	-	EPA-524.2
		LCS Dup	70 - 130	96.8	-	
n-Butylbenzene	QC55325	LCS	70 - 130	91.4	-	EPA-524.2
		LCS Dup	70 - 130	97.8	-	
n-Propylbenzene	QC55325	LCS	70 - 130	95.8	-	EPA-524.2
		LCS Dup	70 - 130	99.4	-	
o-Chlorotoluene	QC55325	LCS	70 - 130	91.8	-	EPA-524.2
		LCS Dup	70 - 130	96.6	-	
o-Dichlorobenzene	QC55325	LCS	70 - 130	91.4	-	EPA-524.2
		LCS Dup	70 - 130	92.4	-	
Para-Dichlorobenzene	QC55325	LCS	70 - 130	93.4	-	EPA-524.2
		LCS Dup	70 - 130	95.8	-	
p-Chlorotoluene	QC55325	LCS	70 - 130	91.8	-	EPA-524.2
		LCS Dup	70 - 130	96.6	-	

**Abbreviations/ References:**

RL = Reporting Limit = Minimum Level  
mg/L = Milligrams Per Liter or PPM  
ug/L = Micrograms Per Liter or PPB  
mpn/100 mls = Most Probable Number Index/ 100 mls  
Date Analyzed = Date Test Completed

(d) RPD acceptable due to low duplicate and sample concentrations.  
(s) Spike amount low relative to the sample amount.  
ND = Not Detected at Reporting Limit.

Test	QC Batch ID	QC Type	Limits	% Rec	RPD	Method
p-Isopropyltoluene	QC55325	LCS	70 - 130	96.0	-	EPA-524.2
		LCS Dup	70 - 130	102.0	-	
sec-Butylbenzene	QC55325	LCS	70 - 130	100.6	-	EPA-524.2
		LCS Dup	70 - 130	102.8	-	
Styrene	QC55325	LCS	70 - 130	102.0	-	EPA-524.2
		LCS Dup	70 - 130	104.4	-	
tert-Butylbenzene	QC55325	LCS	70 - 130	95.8	-	EPA-524.2
		LCS Dup	70 - 130	98.8	-	
Tetrachloroethylene	QC55325	LCS	70 - 130	100.0	-	EPA-524.2
		LCS Dup	70 - 130	104.2	-	
Toluene	QC55325	LCS	70 - 130	97.0	-	EPA-524.2
		LCS Dup	70 - 130	98.4	-	
trans-1,2-Dichloroethylene	QC55325	LCS	70 - 130	97.8	-	EPA-524.2
		LCS Dup	70 - 130	102.6	-	
Trichloroethylene	QC55325	LCS	70 - 130	100.8	-	EPA-524.2
		LCS Dup	70 - 130	104.4	-	
Vinyl chloride	QC55325	LCS	70 - 130	96.4	-	EPA-524.2
		LCS Dup	70 - 130	99.4	-	

All analyses were performed in accordance with approved methods under the latest revision to 40 CFR Part 136 unless otherwise identified. Based on my inquiry of the person or persons directly responsible for analyzing the wastewater samples and generating the report (s), the analyses, report, and information submitted are, to the best of my knowledge and belief, true, accurate, and complete.



DATA APPROVED FOR RELEASE BY

**Abbreviations/ References:**

RL = Reporting Limit = Minimum Level  
mg/L = Milligrams Per Liter or PPM  
ug/L = Micrograms Per Liter or PPB  
mpn/100 mls = Most Probable Number Index/ 100 mls  
Date Analyzed = Date Test Completed

(d) RPD acceptable due to low duplicate and sample concentrations.  
(s) Spike amount low relative to the sample amount.  
ND = Not Detected at Reporting Limit.

# Drinking Water Chain of Custody



<b>Report To Information</b>	<b>Bill To Information</b> (If different from report to)	<b>Project Information</b>
Company Name: <u>BWL</u>	Company Name: _____	PWSID: <u>107236</u>
Contact Name: <u>Pete</u>	Contact Name: _____	System Name: <u>ETBCWD</u>
Address: <u>1901 S. 120th St. Ste A</u>	Address: _____	Compliance Samples: Yes <input type="checkbox"/> No <input checked="" type="checkbox"/>
City: <u>Lafayette</u> State: <u>CO</u> Zip: <u>80026</u>	City: _____ State: _____ Zip: _____	Send Results to CDPHE: Yes <input type="checkbox"/> No <input checked="" type="checkbox"/>
Phone: <u>3 442-1911</u>	Phone: _____	Task Number (Lab Use Only)  <b>CAL Task</b>  <b>220302203</b>  <b>CJC</b>
Email: <u>office@waterwell.ca</u>	Email: _____	
Sample Collector: <u>Pete</u>	Sample Collector Phone: <u>3 819-4462</u>	
PO Number: _____		

**Commerce City Lab**  
10411 Heinz Way  
Commerce City CO 80640

**Lakewood Service Center**  
12860 W. Cedar Dr, Suite 100A  
Lakewood CO 80228

Phone: 303-659-2313

[www.coloradolab.com](http://www.coloradolab.com)

			PHASE I, II, V Drinking Water Analyses (check requested analysis)																	Subcontract Analyses										
Date	Time	Client Sample ID / Sample Pt ID	No. of Containers	Residual Chlorine (mg/L) P/A Samples Only	Total Coliform P/A	504.1 EDB/DBCP	505 Pests/PCBs	515.4 Herbicides	524.2 VOCs	525.2 SOCs-Pest	531.1 Carbamates	547 Glyphosate	548.1 Endothal	549.2 Diquat	524.2 TTHMs	552.2 HAA5s	Lead/Copper	Nitrate	Nitrite	Fluoride	Inorganics	Alk./Lang. Index (Circle)	TOC, DOC (Circle)	SUVA, UV 254 (Circle)	Gross Alpha/Beta	Radium 226/228	Radon	Uranium	Chlorite	
3-2-22	11:30	7366 Empire Pre Flush	3						X																					
3-2-22	13:10	7366 Empire Post Flush	3						X																					
①																														

<b>Instructions:</b> * Rush requested 4 day TAT				<b>C/S Info:</b>				<b>Seals Present</b> Yes <input type="checkbox"/> No <input type="checkbox"/> <b>Headspace</b> Yes <input type="checkbox"/> No <input type="checkbox"/>							
<b>Relinquished By:</b> <u>[Signature]</u>		<b>Date/Time:</b> <u>3-2-22 16:50</u>		<b>Received By:</b> <u>KA</u>		<b>Date/Time:</b> <u>3-2-22</u>		<b>Relinquished By:</b> <u>HO</u>		<b>C/S Charge</b> <input type="checkbox"/>		<b>Temp:</b> <u>11</u> °C / Ice <u>Y</u>		<b>Sample Pres.</b> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/>	